

# Chicago Community Health Profile


## *Loop*

Chicago  
Department of  
Public Health



Terry Mason, M.D.  
Commissioner

*Dedicated to making  
Chicago a safer and  
healthier city by working  
with community partners  
to promote health,  
prevent disease, reduce  
environmental hazards  
and ensure access to  
health care.*



**Contact Information:**  
Chicago Department of  
Public Health  
333 S. State Street  
Room 200  
Chicago, IL 60604  
Partnerships@cdph.org

**Chicago Health & Health Systems Project**  
Chicago Department of Public Health  
*with support from the Otho S.A. Sprague Memorial Institute*

<http://www.cityofchicago.org/Health/profiles>

# Health Care Facilities

## Loop

### Community Area (CA) 32

As of January, 2006



Hospitals



Community-based Health Centers



Free Health Centers



Publicly-operated Health Centers




Hospital-affiliated Health Centers




School-based Health Centers



CTA stations



Chicago Department of Public Health  
Chicago Health & Health Systems Project



## Loop (32) Community Health Profile

### Census Statistics

|  | Loop (32) |         |        |         |        | Chicago   |        |           |        |        |
|--|-----------|---------|--------|---------|--------|-----------|--------|-----------|--------|--------|
|  | 1990      |         | 2000   |         | %      | 1990      |        | 2000      |        | %      |
|  | Number    | Percent | Number | Percent |        | Change    | Number | Percent   | Number |        |
| Total Population                           | 11,954    |         | 16,388 |         | 37.1%  | 2,783,726 |        | 2,896,016 |        | 4.0%   |
| Gender                                     |           |         |        |         |        |           |        |           |        |        |
| Female                                     | 5,664     | 47.4%   | 7,982  | 48.7%   | 40.9%  | 1,449,021 | 52.1%  | 1,490,909 | 51.5%  | 2.9%   |
| Male                                       | 6,290     | 52.6%   | 8,406  | 51.3%   | 33.6%  | 1,334,705 | 47.9%  | 1,405,107 | 48.5%  | 5.3%   |
| Race/Ethnicity                             |           |         |        |         |        |           |        |           |        |        |
| Asian                                      | 439       | 3.7%    | 1,639  | 10.0%   | 273.3% | 98,776    | 3.5%   | 125,409   | 4.3%   | 27.0%  |
| Black                                      | 2,255     | 18.9%   | 3,221  | 19.7%   | 42.8%  | 1,074,471 | 38.6%  | 1,053,739 | 36.4%  | -1.9%  |
| Hispanic                                   | 679       | 5.7%    | 975    | 5.9%    | 43.6%  | 545,852   | 19.6%  | 753,644   | 26.0%  | 38.1%  |
| White                                      | 8,550     | 71.5%   | 10,169 | 62.1%   | 18.9%  | 1,056,048 | 37.9%  | 907,166   | 31.3%  | -14.1% |
| Multi-Race                                 |           |         | 321    | 2.0%    |        |           |        | 47,474    | 1.6%   |        |
| Other                                      | 31        | 0.3%    | 63     | 0.4%    | 103.2% | 8,579     | 0.3%   | 8,584     | 0.3%   | 0.1%   |
| Age  |           |         |        |         |        |           |        |           |        |        |
| 0 - 14                                     | 564       | 4.7%    | 854    | 5.2%    | 51.4%  | 608,496   | 21.9%  | 643,336   | 22.2%  | 5.7%   |
| 15 - 44                                    | 7,206     | 60.3%   | 9,609  | 58.6%   | 33.3%  | 1,360,598 | 48.9%  | 1,406,681 | 48.6%  | 3.4%   |
| 45 - 64                                    | 2,788     | 23.3%   | 4,301  | 26.2%   | 54.3%  | 484,450   | 17.4%  | 547,196   | 18.9%  | 13.0%  |
| 65 - 84                                    | 1,292     | 10.8%   | 1,478  | 9.0%    | 14.4%  | 299,660   | 10.8%  | 263,635   | 9.1%   | -12.0% |
| 85 and Over                                | 104       | 0.9%    | 146    | 0.9%    | 40.4%  | 30,522    | 1.1%   | 35,168    | 1.2%   | 15.2%  |
| Socio-Economic                             |           |         |        |         |        |           |        |           |        |        |
| Below Poverty Level                        | 1,108     | 10.1%   | 1,754  | 11.9%   | 17.8%  | 592,325   | 21.6%  | 556,791   | 19.6%  | -9.3%  |
| Below Twice Poverty Level                  | 1,702     | 15.4%   | 2,606  | 17.7%   | 14.9%  | 1,126,629 | 41.1%  | 1,127,610 | 39.7%  | -3.4%  |
| Foreign Born                               | 1,074     | 9.0%    | 2,478  | 15.1%   | 130.7% | 468,642   | 16.8%  | 628,903   | 21.7%  | 34.2%  |
| Language other than English Spoken at Home | 1,453     | 12.4%   | 3,133  | 19.7%   | 115.6% | 747,085   | 29.1%  | 952,076   | 35.5%  | 27.4%  |

Note: The denominator for the poverty measures is the population for which poverty status was determined and for the "Language" measure the population 5 years of age and older. The "% Change" calculations are based on the numbers with the exception of the poverty measures where it is based on the percents.

### Maternal and Child Health

|                   | Loop (32) |          |        |          |       | Chicago |        |          |        |        |
|-------------------|-----------|----------|--------|----------|-------|---------|--------|----------|--------|--------|
|                   | 1993      |          | 2003   |          | %     | 1993    |        | 2003     |        | %      |
|                   | Number    | Rate/Pct | Number | Rate/Pct |       | Change  | Number | Rate/Pct | Number |        |
| Live Births       | 129       |          | 148    |          | 14.7% | 59,012  |        | 48,044   |        | -18.6% |
| Teen Births       | 2         | 1.6%     | 1      | 0.7%     | **    | 10,972  | 18.6%  | 6,469    | 13.5%  | -27.4% |
| No Prenatal Care  | 3         | 2.3%     | 0      | 0.0%     | **    | 1,791   | 3.0%   | 829      | 1.7%   | -43.3% |
| Low Birthweight   | 8         | 6.2%     | 10     | 6.8%     | **    | 6,635   | 11.2%  | 4,858    | 10.1%  | -9.8%  |
| Infant Mortality* | 3         | **       | 1      | **       | **    | 806     | 13.7   | 463      | 9.6    | -29.9% |

\*Infant mortality rates are per 1,000 live births. \*\*Figure does not meet standard of reliability or precision. "% Change" based on percents/rate.

### Estimated Community Risk for Selected BRFSS Indicators\*\*\*

|  |         |
|--|---------|
| Not Having a Health Plan:                | Low     |
| Never Had a Clinical Breast Exam:        | Low     |
| Never Had Cholesterol Checked:           | Low     |
| No Exercise in Past Month:               | Low     |
| Current Smoking:                         | Low     |
| Told Blood Pressure High More Than Once: | High    |
| Obesity:                                 | Low     |
| Binge Drinking:                          | High    |
| Non-Daily Fruit Consumption:             | Average |

\*\*\* Risk scores based on City-wide Behavioral Risk Factor Surveillance Survey data and Community Area-specific 2000 census data.

## Loop (32) Community Health Profile

### Leading Causes of Death in 2003 (order based on Chicago rates)

|  | Loop (32) |               |              | Chicago       |               |              |
|--|-----------|---------------|--------------|---------------|---------------|--------------|
|  | Number    | Percent       | Rate*        | Number        | Percent       | Rate*        |
| Heart Disease                              | 23        | 25.0%         | 140.3        | 6,594         | 29.6%         | 227.7        |
| Malignant Neoplasms (Cancer)               | 30        | 32.6%         | 183.1        | 4,933         | 22.1%         | 170.3        |
| Cerebrovascular Diseases (Stroke)          | 3         | 3.3%          | **           | 1,301         | 5.8%          | 44.9         |
| Accidents (Unintentional Injuries)         | 4         | 4.3%          | **           | 918           | 4.1%          | 31.7         |
| Diabetes Mellitus                          | 2         | 2.2%          | **           | 746           | 3.3%          | 25.8         |
| Chronic Lower Respiratory Disease          | 4         | 4.3%          | **           | 668           | 3.0%          | 23.1         |
| Septicemia                                 | 3         | 3.3%          | **           | 623           | 2.8%          | 21.5         |
| Influenza and Pneumonia                    | 3         | 3.3%          | **           | 613           | 2.8%          | 21.2         |
| Assault (Homicide)                         | 0         | 0.0%          | **           | 600           | 2.7%          | 20.7         |
| Nephritis                                  | 1         | 1.1%          | **           | 557           | 2.5%          | 19.2         |
| Alzheimer's Disease                        | 0         | 0.0%          | **           | 356           | 1.6%          | 12.3         |
| Human Immunodeficiency Virus (HIV) Disease | 2         | 2.2%          | **           | 275           | 1.2%          | 9.5          |
| Chronic Liver Disease and Cirrhosis        | 0         | 0.0%          | **           | 274           | 1.2%          | 9.5          |
| Perinatal Conditions                       | 1         | 1.1%          | **           | 254           | 1.1%          | 8.8          |
| Hypertension                               | 0         | 0.0%          | **           | 208           | 0.9%          | 7.2          |
| Intentional Self-Harm (Suicide)            | 1         | 1.1%          | **           | 181           | 0.8%          | 6.2          |
| Pneumonitis due to Solids and Liquids      | 1         | 1.1%          | **           | 160           | 0.7%          | 5.5          |
| Aortic Aneurysm and Dissection             | 1         | 1.1%          | **           | 116           | 0.5%          | 4.0          |
| Benign Neoplasms                           | 0         | 0.0%          | **           | 106           | 0.5%          | 3.7          |
| Congenital Anomalies                       | 0         | 0.0%          | **           | 102           | 0.5%          | 3.5          |
| Parkinson's Disease                        | 1         | 1.1%          | **           | 91            | 0.4%          | 3.1          |
| Atherosclerosis                            | 0         | 0.0%          | **           | 85            | 0.4%          | 2.9          |
| Anemias                                    | 0         | 0.0%          | **           | 57            | 0.3%          | 2.0          |
| Viral Hepatitis                            | 0         | 0.0%          | **           | 42            | 0.2%          | 1.5          |
| Nutritional Deficiencies                   | 0         | 0.0%          | **           | 28            | 0.1%          | 1.0          |
| Peptic Ulcer                               | 0         | 0.0%          | **           | 26            | 0.1%          | 0.9          |
| Tuberculosis                               | 0         | 0.0%          | **           | 15            | 0.1%          | 0.5          |
| <b>Total Deaths</b>                        | <b>92</b> | <b>100.0%</b> | <b>561.4</b> | <b>22,283</b> | <b>100.0%</b> | <b>769.4</b> |

\*Death rates are per 100,000 population based on the 2000 Census. \*\*Figure does not meet standard of reliability or precision.

## Loop (32) Community Health Profile

### Leading Causes of Hospitalization in 2001 (estimated)

| Cause of Hospitalization                    | Loop (32)     |                |                   | Chicago        |                |                   |
|---|---------------|----------------|-------------------|----------------|----------------|-------------------|
|   | <u>Number</u> | <u>Percent</u> | <u>Adj. Rate*</u> | <u>Number</u>  | <u>Percent</u> | <u>Adj. Rate*</u> |
| Mental Disorders - Non Drug/Alcohol Related | 235           | 11.7%          | 132.6             | 35,143         | 8.8%           | 122.0             |
| Heart Disease                               | 203           | 10.1%          | 136.7             | 42,290         | 10.5%          | 172.5             |
| Delivery                                    | 191           | 9.5%           | 87.0              | 47,549         | 11.8%          | 147.8             |
| Injury                                      | 101           | 5.0%           | 69.4              | 15,617         | 3.9%           | 56.9              |
| Cancer                                      | 90            | 4.5%           | 57.5              | 13,029         | 3.2%           | 52.6              |
| Mental Disorders - Drug/Alcohol Related     | 74            | 3.7%           | 36.7              | 17,134         | 4.3%           | 59.4              |
| Infectious and Parasitic Diseases           | 57            | 2.8%           | 38.9              | 10,348         | 2.6%           | 38.4              |
| Chest Pain                                  | 54            | 2.7%           | 31.1              | 11,498         | 2.9%           | 44.9              |
| Stroke                                      | 51            | 2.5%           | 35.2              | 10,084         | 2.5%           | 41.4              |
| Nephritis, etc.                             | 46            | 2.3%           | 30.1              | 11,778         | 2.9%           | 43.8              |
| Diabetes                                    | 37            | 1.8%           | 23.2              | 7,520          | 1.9%           | 28.8              |
| Pneumonia                                   | 35            | 1.7%           | 24.1              | 12,292         | 3.1%           | 47.6              |
| Rehabilitation                              | 35            | 1.7%           | 24.6              | 7,633          | 1.9%           | 31.2              |
| Cellulitis and Abscess                      | 32            | 1.6%           | 20.0              | 5,119          | 1.3%           | 19.4              |
| Osteoarthritis and allied disorders         | 27            | 1.3%           | 18.7              | 2,944          | 0.7%           | 12.2              |
| <b>Total Hospitalizations</b>               | <b>2,011</b>  | <b>100%</b>    | <b>1,270.9</b>    | <b>401,352</b> | <b>100%</b>    | <b>1,488.0</b>    |

Source: Illinois Health Care Cost Containment Council (excludes newborns).

### Hospitalizations Due To Ambulatory Care Sensitive Conditions (ACSC) in 2001 (estimated)

| ACSC  | Loop (32)     |                |                   | Chicago       |                |                   |
|---|---------------|----------------|-------------------|---------------|----------------|-------------------|
|   | <u>Number</u> | <u>Percent</u> | <u>Adj. Rate*</u> | <u>Number</u> | <u>Percent</u> | <u>Adj. Rate*</u> |
| Congestive Heart Failure (Ages >= 18)                   | 55            | 2.7%           | 47.5              | 15,200        | 3.8%           | 83.6              |
| Bacterial Pneumonia                                     | 29            | 1.4%           | 20.5              | 10,632        | 2.6%           | 41.2              |
| Chronic Obstructive Pulmonary Disease (Ages >= 18)      | 21            | 1.0%           | 17.6              | 4,763         | 1.2%           | 26.4              |
| Urinary Tract Infection                                 | 20            | 1.0%           | 13.0              | 5,149         | 1.3%           | 19.9              |
| Diabetes Long-term Complications (Ages >= 18)           | 16            | 0.8%           | 13.2              | 3,038         | 0.8%           | 16.3              |
| Adult Asthma (Ages >= 18)                               | 14            | 0.7%           | 9.1               | 5,869         | 1.5%           | 28.8              |
| Dehydration   | 13            | 0.6%           | 10.7              | 4,121         | 1.0%           | 16.2              |
| Hypertension (Ages >= 18)                               | 10            | 0.5%           | 9.8               | 1,785         | 0.4%           | 9.5               |
| Uncontrolled Diabetes (Ages >= 18)                      | 8             | 0.4%           | 6.2               | 1,722         | 0.4%           | 8.9               |
| Diabetes Short-term Complications (Ages >= 18)          | 8             | 0.4%           | 5.4               | 1,620         | 0.4%           | 7.7               |
| Angina Without Procedure (Ages >= 18)                   | 6             | 0.3%           | 4.7               | 1,964         | 0.5%           | 10.6              |
| Lower-extremity Amputation among Diabetics (Ages >= 18) | 2             | 0.1%           | 1.4               | 968           | 0.2%           | 5.3               |
| Pediatric Gastroenteritis (Ages <= 17)                  | 1             | 0.0%           | 10.2              | 784           | 0.2%           | 10.3              |
| Pediatric Asthma (Ages <= 17)                           | 1             | 0.0%           | 10.2              | 2,713         | 0.7%           | 35.7              |
| <b>Total Hospitalizations for ACSCs</b>                 | <b>204</b>    | <b>10.1%</b>   | <b>N/A</b>        | <b>60,328</b> | <b>15.0%</b>   | <b>N/A</b>        |

Source: Illinois Health Care Cost Containment Council as computed by CDPH.

\*Rates are per 10,000 population and age-adjusted to the 2000 US standard population.

# Loop (32) Community Health Profile

## Health Care Resources

### Free Health Centers

Pacific Garden Mission Clinic (Pacific Garden Mission Clinic)  
647 S. State 60605

### Hospital-affiliated Health Centers

Loop Office - Internal Medicine (Northwestern Memorial Hospital)  
111 W. Washington 60602

Mercy Medical on Polk (Mercy Hospital and Medical Center)  
47 W. Polk 60605

Michigan Avenue Medical Associates (Resurrection Health Care)  
8 S. Michigan 60603

University of Chicago Physicians Group & Manus Dental (The University of Chicago Hospitals & Health System)  
222 N. La Salle 60601


## 2002 Estimated Primary Care Capacity and Utilization (in visits)

| Type                               | Number | Capacity | Utilization |
|------------------------------------|--------|----------|-------------|
| Free Health Centers                | 1      | 2,625    | 2,788       |
| Hospital-affiliated Health Centers | N/A    | N/A      | N/A         |

See Technical Notes section for data source explanation.

These figures reflect data provided for sites that existed in 2002 and may differ from number of currently operating sites identified above.

# Where Loop Residents Receive Hospital Care



Source: 2001 Illinois Health Care Cost Containment Council hospital discharge data 11/04

NOTE: numbers are estimates based on converting zipcode data to community areas