

# Chicago Community Health Profile


## *New City*

Chicago  
Department of  
Public Health



Terry Mason, M.D.  
Commissioner

*Dedicated to making  
Chicago a safer and  
healthier city by working  
with community partners  
to promote health,  
prevent disease, reduce  
environmental hazards  
and ensure access to  
health care.*



**Contact Information:**  
Chicago Department of  
Public Health  
333 S. State Street  
Room 200  
Chicago, IL 60604  
Partnerships@cdph.org

**Chicago Health & Health Systems Project**  
Chicago Department of Public Health  
*with support from the Otho S.A. Sprague Memorial Institute*

<http://www.cityofchicago.org/Health/profiles>


# Health Care Facilities

## New City


### Community Area (CA) 61

As of January, 2006

-  Hospitals
-  Community-based Health Centers
-  Free Health Centers
-  Publicly-operated Health Centers
-  Hospital-affiliated Health Centers
-  School-based Health Centers
-  CTA stations



Chicago Department of Public Health  
Chicago Health & Health Systems Project



## New City (61) Community Health Profile

### Census Statistics

	New City (61)					Chicago				
	1990		2000		%	1990		2000		%
	Number	Percent	Number	Percent		Change	Number	Percent	Number	
Total Population	53,226		51,721		-2.8%	2,783,726		2,896,016		4.0%
Gender										
Female	26,660	50.1%	25,593	49.5%	-4.0%	1,449,021	52.1%	1,490,909	51.5%	2.9%
Male	26,566	49.9%	26,128	50.5%	-1.6%	1,334,705	47.9%	1,405,107	48.5%	5.3%
Race/Ethnicity										
Asian	119	0.2%	155	0.3%	30.3%	98,776	3.5%	125,409	4.3%	27.0%
Black	21,568	40.5%	18,252	35.3%	-15.4%	1,074,471	38.6%	1,053,739	36.4%	-1.9%
Hispanic	20,906	39.3%	25,948	50.2%	24.1%	545,852	19.6%	753,644	26.0%	38.1%
White	10,449	19.6%	6,789	13.1%	-35.0%	1,056,048	37.9%	907,166	31.3%	-14.1%
Multi-Race			481	0.9%				47,474	1.6%	
Other	184	0.3%	96	0.2%	-47.8%	8,579	0.3%	8,584	0.3%	0.1%
Age										
0 - 14	17,396	32.7%	16,687	32.3%	-4.1%	608,496	21.9%	643,336	22.2%	5.7%
15 - 44	25,662	48.2%	24,904	48.2%	-3.0%	1,360,598	48.9%	1,406,681	48.6%	3.4%
45 - 64	6,881	12.9%	7,178	13.9%	4.3%	484,450	17.4%	547,196	18.9%	13.0%
65 - 84	3,109	5.8%	2,722	5.3%	-12.4%	299,660	10.8%	263,635	9.1%	-12.0%
85 and Over	178	0.3%	230	0.4%	29.2%	30,522	1.1%	35,168	1.2%	15.2%
Socio-Economic										
Below Poverty Level	18,072	34.1%	17,687	34.5%	1.2%	592,325	21.6%	556,791	19.6%	-9.3%
Below Twice Poverty Level	32,733	61.8%	32,196	62.7%	1.5%	1,126,629	41.1%	1,127,610	39.7%	-3.4%
Foreign Born	10,996	20.7%	15,259	29.5%	38.8%	468,642	16.8%	628,903	21.7%	34.2%
Language other than English Spoken at Home	18,786	39.9%	22,306	48.6%	18.7%	747,085	29.1%	952,076	35.5%	27.4%

Note: The denominator for the poverty measures is the population for which poverty status was determined and for the "Language" measure the population 5 years of age and older. The "% Change" calculations are based on the numbers with the exception of the poverty measures where it is based on the percents.

### Maternal and Child Health

	New City (61)					Chicago				
	1993		2003		%	1993		2003		%
	Number	Rate/Pct	Number	Rate/Pct		Change	Number	Rate/Pct	Number	
Live Births	1,679		1,167		-30.5%	59,012		48,044		-18.6%
Teen Births	415	24.7%	210	18.0%	-27.1%	10,972	18.6%	6,469	13.5%	-27.4%
No Prenatal Care	54	3.2%	26	2.2%	-31.3%	1,791	3.0%	829	1.7%	-43.3%
Low Birthweight	187	11.1%	115	9.9%	-10.8%	6,635	11.2%	4,858	10.1%	-9.8%
Infant Mortality*	39	23.2	13	11.1	-52.2%	806	13.7	463	9.6	-29.9%

\*Infant mortality rates are per 1,000 live births. \*\*Figure does not meet standard of reliability or precision. "% Change" based on percents/rate.

### Estimated Community Risk for Selected BRFSS Indicators\*\*\*

Not Having a Health Plan:	High
Never Had a Clinical Breast Exam:	High
Never Had Cholesterol Checked:	Average
No Exercise in Past Month:	High
Current Smoking:	Average
Told Blood Pressure High More Than Once:	Low
Obesity:	Average
Binge Drinking:	Average
Non-Daily Fruit Consumption:	Average

\*\*\* Risk scores based on City-wide Behavioral Risk Factor Surveillance Survey data and Community Area-specific 2000 census data.

## New City (61) Community Health Profile

### Leading Causes of Death in 2003 (order based on Chicago rates)

	New City (61)			Chicago		
	Number	Percent	Rate*	Number	Percent	Rate*
Heart Disease	75	25.7%	145.0	6,594	29.6%	227.7
Malignant Neoplasms (Cancer)	48	16.4%	92.8	4,933	22.1%	170.3
Cerebrovascular Diseases (Stroke)	20	6.8%	38.7	1,301	5.8%	44.9
Accidents (Unintentional Injuries)	18	6.2%	34.8	918	4.1%	31.7
Diabetes Mellitus	13	4.5%	25.1	746	3.3%	25.8
Chronic Lower Respiratory Disease	6	2.1%	**	668	3.0%	23.1
Septicemia	13	4.5%	25.1	623	2.8%	21.5
Influenza and Pneumonia	6	2.1%	**	613	2.8%	21.2
Assault (Homicide)	22	7.5%	42.5	600	2.7%	20.7
Nephritis	9	3.1%	**	557	2.5%	19.2
Alzheimer's Disease	2	0.7%	**	356	1.6%	12.3
Human Immunodeficiency Virus (HIV) Disease	3	1.0%	**	275	1.2%	9.5
Chronic Liver Disease and Cirrhosis	3	1.0%	**	274	1.2%	9.5
Perinatal Conditions	4	1.4%	**	254	1.1%	8.8
Hypertension	3	1.0%	**	208	0.9%	7.2
Intentional Self-Harm (Suicide)	3	1.0%	**	181	0.8%	6.2
Pneumonitis due to Solids and Liquids	2	0.7%	**	160	0.7%	5.5
Aortic Aneurysm and Dissection	1	0.3%	**	116	0.5%	4.0
Benign Neoplasms	1	0.3%	**	106	0.5%	3.7
Congenital Anomalies	1	0.3%	**	102	0.5%	3.5
Parkinson's Disease	1	0.3%	**	91	0.4%	3.1
Atherosclerosis	0	0.0%	**	85	0.4%	2.9
Anemias	0	0.0%	**	57	0.3%	2.0
Viral Hepatitis	1	0.3%	**	42	0.2%	1.5
Nutritional Deficiencies	0	0.0%	**	28	0.1%	1.0
Peptic Ulcer	1	0.3%	**	26	0.1%	0.9
Tuberculosis	0	0.0%	**	15	0.1%	0.5
<b>Total Deaths</b>	<b>292</b>	<b>100.0%</b>	<b>564.6</b>	<b>22,283</b>	<b>100.0%</b>	<b>769.4</b>

\*Death rates are per 100,000 population based on the 2000 Census. \*\*Figure does not meet standard of reliability or precision.

## New City (61) Community Health Profile

### Leading Causes of Hospitalization in 2001 (estimated)

Cause of Hospitalization	New City (61)			Chicago		
	<u>Number</u>	<u>Percent</u>	<u>Adj. Rate*</u>	<u>Number</u>	<u>Percent</u>	<u>Adj. Rate*</u>
Delivery	1,059	17.3%	185.6	47,549	11.8%	147.8
Heart Disease	585	9.5%	207.4	42,290	10.5%	172.5
Mental Disorders - Non Drug/Alcohol Related	499	8.1%	105.5	35,143	8.8%	122.0
Mental Disorders - Drug/Alcohol Related	286	4.7%	68.6	17,134	4.3%	59.4
Injury	240	3.9%	55.5	15,617	3.9%	56.9
Pneumonia	199	3.2%	55.4	12,292	3.1%	47.6
Asthma	182	3.0%	37.7	8,884	2.2%	31.6
Nephritis, etc.	162	2.6%	42.2	11,778	2.9%	43.8
Cancer	150	2.4%	50.4	13,029	3.2%	52.6
Chest Pain	150	2.4%	47.5	11,498	2.9%	44.9
Infectious and Parasitic Diseases	147	2.4%	33.6	10,348	2.6%	38.4
Stroke	119	1.9%	42.0	10,084	2.5%	41.4
Diabetes	107	1.7%	32.4	7,520	1.9%	28.8
Rehabilitation	101	1.6%	34.0	7,633	1.9%	31.2
Chronic bronchitis and emphysema	79	1.3%	27.8	4,440	1.1%	18.2
<b>Total Hospitalizations</b>	<b>6,132</b>	<b>100%</b>	<b>1,563.2</b>	<b>401,352</b>	<b>100%</b>	<b>1,488.0</b>

Source: Illinois Health Care Cost Containment Council (excludes newborns).

### Hospitalizations Due To Ambulatory Care Sensitive Conditions (ACSC) in 2001 (estimated)

ACSC	New City (61)			Chicago		
	<u>Number</u>	<u>Percent</u>	<u>Adj. Rate*</u>	<u>Number</u>	<u>Percent</u>	<u>Adj. Rate*</u>
Congestive Heart Failure (Ages >= 18)	253	4.1%	121.0	15,200	3.8%	83.6
Bacterial Pneumonia	179	2.9%	50.5	10,632	2.6%	41.2
Adult Asthma (Ages >= 18)	116	1.9%	39.3	5,869	1.5%	28.8
Chronic Obstructive Pulmonary Disease (Ages >= 18)	86	1.4%	40.7	4,763	1.2%	26.4
Urinary Tract Infection	76	1.2%	19.9	5,149	1.3%	19.9
Pediatric Asthma (Ages <= 17)	58	0.9%	29.7	2,713	0.7%	35.7
Dehydration	47	0.8%	12.5	4,121	1.0%	16.2
Diabetes Long-term Complications (Ages >= 18)	38	0.6%	19.1	3,038	0.8%	16.3
Hypertension (Ages >= 18)	29	0.5%	11.9	1,785	0.4%	9.5
Diabetes Short-term Complications (Ages >= 18)	28	0.5%	9.9	1,620	0.4%	7.7
Angina Without Procedure (Ages >= 18)	25	0.4%	11.8	1,964	0.5%	10.6
Uncontrolled Diabetes (Ages >= 18)	24	0.4%	9.2	1,722	0.4%	8.9
Lower-extremity Amputation among Diabetics (Ages >= 18)	21	0.3%	9.2	968	0.2%	5.3
Pediatric Gastroenteritis (Ages <= 17)	15	0.2%	7.7	784	0.2%	10.3
<b>Total Hospitalizations for ACSCs</b>	<b>995</b>	<b>16.2%</b>	<b>N/A</b>	<b>60,328</b>	<b>15.0%</b>	<b>N/A</b>

Source: Illinois Health Care Cost Containment Council as computed by CDPH.

\*Rates are per 10,000 population and age-adjusted to the 2000 US standard population.

# New City (61) Community Health Profile

## Health Care Resources

### Community-based Health Centers

Ashland Family Health Center (Access Community Health Network)  
5256 S. Ashland 60609

### Free Health Centers

Port Free Clinic (Port Free Clinic)  
5135 S. Ashland 60609

Saint Basil's Free People's Clinic (St. Basil's Free People's Clinic)  
1850 W. Garfield 60609


## 2002 Estimated Primary Care Capacity and Utilization (in visits)

Type	Number	Capacity	Utilization
Community-based Health Centers	1	7,434	6,913

See Technical Notes section for data source explanation.

These figures reflect data provided for sites that existed in 2002 and may differ from number of currently operating sites identified above.

## Where New City Residents Receive Hospital Care



- Mercy Hospital
- Cook County - Provident Hospital
- Holy Cross Hospital
- Cook County - Stroger Hospital
- Mount Sinai Hospital
- Michael Reese Hospital
- UIC Hospital
- St. Anthony Hospital
- University of Chicago Hospital
- Rush-Pres-St. Luke's Med Ctr
- All others

Source: 2001 Illinois Health Care Cost Containment Council hospital discharge data 11/04

NOTE: numbers are estimates based on converting zipcode data to community areas

Chicago Department of Public Health - Chicago Health & Health Systems Project